




TYPLOGIES



1  GT60-1 - 1457 gr/m | Frame

2  GT60-2 - 935 gr/m | Frame

3  GT24 - 1035 gr/m | Door frame

4  GT34 - 1645 gr/m | Door frame

5  GT14-B KIT | Door pivot

6  WB02 | Drop seal


7  GT60-KIT | Corner

8  GT60-S | Support fitting


9  DG02 | Rubber

10  GTQ-A | Rubber



11  S38 | Polycarbonate Gasket

A  LOCK WITH CYLINDER



B  WC LOCK

C  LOCK WITH ELECTRIC STRIKE PLATE

D  HORIZONTAL MAGNETIC LOCK



TYPOLOGIES



DROP SEAL

1  GT60-1 - 1457 gr/m | Frame

2  GT60-2 - 935 gr/m | Frame


3  GF01-03 | Concealed 3D Hinge + plates
| (GT60-03-SPH-KIT)


4  GT60-KIT | Corner


5  WB02 | Drop seal


6  DG02 | Rubber



7  GTQ-A | Rubber

A  LOCK WITH CYLINDER


B  WC LOCK

C  LOCK WITH ELECTRIC STRIKE PLATE

D  WC LOCK WITH CYLINDER AND BUTTON



TPOLOGIES



1  GT60-1 - 1457 gr/m | Frame

2  GT60-2 - 935 gr/m | Frame

3  DH12 | Hinge

4  DH13 | Hinge

5  DL04 | Lock

6  DL09A | Strike plate

7  GT60-KIT | Corner

8  DG02 | Rubber

9  GTQ-B | Rubber