

RETRO

Nostalgic spirit

RETRO KOLEKCE






INDEX

Retro	08-09
Products	
U-cut	14-21
Die-cut	22-27
Double	28-35
Cloud	36-43
ECOnline certificate (PET)	44-45
Colours	46-47



ECO cert | Acoustic design.



Al loro

Do you still have floppy disks with your school projects? Do you keep VHS tapes of Spielberg movies? Is Tetris your favorite video game? Have you ever recorded mixtapes with a double cassette deck? Then this catalog is for you.

At ECOcero, we're always looking to the future, but we never forget where we come from. That's why we've created this inventory with a nostalgic spirit, showcasing the models that have accompanied us in our growth and that, like you, we can't let go of.

These memories have left an important mark on your life and ours. Let yourself be carried away by the Retro spirit.

¿Conservas disquetes con tus trabajos escolares? ¿Guardas cintas VHS de películas de Spielberg? ¿Tu videojuego favorito es el tetris? ¿Has grabado cintas con una doble pletina? Entonces, este catálogo es para ti.

En ECOcero, siempre miramos al futuro, pero sin olvidarnos de donde venimos. Por eso, hemos creado este inventario con espíritu nostálgico, presentando los modelos que nos han acompañado en nuestro crecimiento y de los que, al igual que tú, no podemos desprendernos.

Estos recuerdos han dejado una huella importante en tu vida y en la nuestra. Déjate llevar por el espíritu Retro.



Products





V-cut

ECOWall




Product description

The VCUT is a recycled polyester fiber acoustic panel from the ECO line of ECOcero, model ECOWall v-cut, available in catalog or customized designs, with dimensions of 2340x1170 mm and a thickness of 12 mm. It includes a system for fixation using contact adhesive from the ECOcero brand for direct attachment to support. Available in 16 base colors. CE marking, Euroclass B-s1, d0 fire reaction. Compliance with low VOC emissions specifications. GOLD certification in LEED and BREEAM, GLOBAL RECYCLED STANDARD and OEKO-TEX STANDARD 100.

Panel acústico de fibra de poliéster reciclada gama ECO de ECOcero, modelo ECOWall v-cut, diseño de catálogo o personalizado, de medidas 2340x1170 mm, espesor 12 mm. Incluida p/p de sistema de fijación mediante cola de contacto de la marca ECOcero para fijación directa a soporte. Disponible en 16 colores base. Marcado CE, Euroclase B-s1, d0 de reacción al fuego. Cumplimiento con las especificaciones de bajas emisiones VOC. Certificación GOLD en LEED y BREEAM, GLOBAL RECYCLED STANDARD y OEKO-TEX STANDARD 100.

Absorption coefficient



Available thickness

12 mm

Available Sizes

2340 x 1170 mm. Customized.

Technical sheet


Composition
Recycled textile fiber

Weight approx
6,60 Kg


Absorption
No air chamber (alpha_w 0.3)
NCR= 0.45
Air chamber 50 mm (alpha_w 0.75)
NCR= 0.8
Air chamber 200 mm: (alpha_w 0.9)
NRC= 0.85

Cutting tolerance
± 2 mm


Fire resistance
B-s1-d0. Fireproof for public place




EW101




EW102




EW103




EW104




EW105




EW106




EW107




EW108




EW109




EW110




EW111



EW112




EW113




EW114



EW115



EW116









Die-cut

ECOWall




Product description

The Volume is a recycled polyester fiber acoustic panel from the ECO line of ECOcero, model ECOWall volume, available in catalog or customized designs, with dimensions of 2340x1170 mm and a thickness of 18 mm (9+9 mm). It includes a system for fixation using contact adhesive from the ECOcero brand for direct attachment to support. Available in 16 base colors. CE marking, Euroclass B-s1, d0 fire reaction. Compliance with low VOC emissions specifications. GOLD certification in LEED and BREEAM, GLOBAL RECYCLED STANDARD and OEKO-TEX STANDARD 100.

Panel acústico de fibra de poliéster reciclada gama ECO de ECOcero, modelo ECOWall Volume, diseño de catálogo o personalizado, de medidas 2340x1170 mm, espesor 18 mm (9+9 mm). Incluida p/p de sistema de fijación mediante cola de contacto de la marca ECOcero para fijación directa a soporte. Disponible en 16 colores base. Marcado CE, Euroclase B-s1, d0 de reacción al fuego. Cumplimiento con las especificaciones de bajas emisiones VOC. Certificación GOLD en LEED y BREEAM, GLOBAL RECYCLED STANDARD y OEKO-TEX STANDARD 100.

Absorption coefficient



Available thickness

18 mm (9+9)

Available Sizes

2340 x 1170 mm. Customized.

Technical sheet


Composition
Recycled textile fiber

Weight approx
4,5 Kg / 8,0 Kg

Absorption
No air chamber (α_w 0.3)
NCR= 0.45
Air chamber 50 mm (α_w 0.75)
NCR= 0.8
Air chamber 200 mm (α_w 0.9)
NCR= 0.85

Cutting tolerance
± 2 mm


Fire resistance
B-s1-d0. Fireproof for public place



E1




E2



E



EW131




EW132




EW133



EW134




EW135




EW136



EW137




EW138



EW139



EW140




EW141




EW142



EW143



EW144



EW145







Double

ECOWall




Product description

The Volume is a recycled polyester fiber acoustic panel from the ECO line of ECOcero, model ECOWall volume, available in catalog or customized designs, with dimensions of 2340x1170 mm and a thickness of 18 mm (9+9 mm). It includes a system for fixation using contact adhesive from the ECOcero brand for direct attachment to support. Available in 16 base colors. CE marking, Euroclass B-s1, d0 fire reaction. Compliance with low VOC emissions specifications. GOLD certification in LEED and BREEAM, GLOBAL RECYCLED STANDARD and OEKO-TEX STANDARD 100.

Panel acústico de fibra de poliéster reciclada gama ECO de ECOcero, modelo ECOWall Volume, diseño de catálogo o personalizado, de medidas 2340x1170 mm, espesor 18 mm (9+9 mm). Incluida p/p de sistema de fijación mediante cola de contacto de la marca ECOcero para fijación directa a soporte. Disponible en 16 colores base. Marcado CE, Euroclase B-s1, d0 de reacción al fuego. Cumplimiento con las especificaciones de bajas emisiones VOC. Certificación GOLD en LEED y BREEAM, GLOBAL RECYCLED STANDARD y OEKO-TEX STANDARD 100.

Absorption coefficient



Available thickness

18 mm (9+9)

Available Sizes

2340 x 1170 mm. Customized.

Technical sheet

Composition

Recycled textile fiber

Weight approx

4,5 Kg / 8,0 Kg

Absorption

No air chamber
(alpha_w 0.3)
NCR= 0.45

Air chamber 50 mm
(alpha_w 0.75)
NCR= 0.8


Air chamber 200 mm
(alpha_w 0.9)
NCR= 0.85

Cutting tolerance


± 2 mm

Fire resistance


B-s1-d0. Fireproof
for public place




EW116




EW117



EW118



EW119




EW120



EW121



EW122




EW123



EW124



EW125




EW126




EW127



EW128



EW129



EW130









Cloud

ECOceiling




Product description

An acoustic panel from the ECO line of ECOcero, Cloud model, with a catalog or customized finish, of various dimensions, thickness of 12 mm, suspended horizontally from the ceiling by the steel cable suspension system of ECOcero, B Anchor model, consisting of a screw-in female anchor for the recycled polyester fiber panel and a cable up to 2.00 m in length with a carabiner and a fixture for ceiling attachment. Available in 16 base colors. CE marking, Euroclass B-s1, d0 fire reaction. Compliance with low VOC emissions specifications. GOLD certification in LEED and BREEAM, GLOBAL RECYCLED STANDARD and OEKO-TEX STANDARD 100.

Panel acústico de fibra de poliéster reciclada gama ECO de ECOcero, modelo Cloud, acabado de catálogo o personalizado, de medidas varias, espesor de 12 mm, suspendido horizontalmente del techo mediante el sistema de suspensión por cable de acero de la marca ECOcero, modelo Anclaje B, formado por un anclaje tipo hembrilla para atornillar al panel de fibra de poliéster reciclada y un cable de hasta 2,00 m de longitud con un mosquetón y una fijación para anclar a techo. Disponible en 16 colores base. Marcado CE, Euroclase B-s1, d0 de reacción al fuego. Cumplimiento con las espe-

cificaciones de bajas emisiones VOC. Certificación GOLD en LEED y BREEAM, GLOBAL RECYCLED STANDARD y OEKO-TEX STANDARD 100.

Absorption coefficient



Available thickness

12 mm

Available Sizes

EW282
780 x 780 mm
1000 x 1000 mm
1170 x 1170 mm
585 x 1170 mm
1170 x 2340 mm

EW283
D 800 mm
D 1000 mm
D 1170 mm

Technical sheet

Composition
Recycled textile fiber

Weight approx
1,5 / 6,5 kg

Absorption
No air chamber
(alpha_w 0.3)
NRC: 0.45
Air chamber 50 mm
(alpha_w 0.75)
NRC: 0.8
Air chamber 200 mm
(alpha_w 0.9)
NRC: 0.85

Cutting tolerance
± 2 mm

Fire resistance
B-s1-d0. Fireproof
for public place



EW146




EW147




EW148




EW149



EW150



EW151




EW152



EW153



EW154




EW155



EW156







ECOLINE certificate (PET)

	LEED® Certificate (Pass)
	BREEAM® Certificate (Exemplary level)
	Green Building Council USGBC
	FSC STANDARD for Chain of Custody Certification
	VOCs Certificate (A+ classification)
	Acoustic Absorption Certification
	CE Certified (EN 15102:2007 + A1:2011)
	GLOBAL RECYCLED STANDARD Certificate (Minimum 60% Post-consumer)
	PEFC Certificate (ST 2002:2013)
	OEKO-TEX STANDARD 100 Certificate

Recycled textile fibre
Maximum panel dimension:
2340x1170 mm.

High acoustic absorption

Surface density:
9 mm: 1,5 Kg/m²
12mm: 2,4 Kg/m²
24 mm: 4,0 Kg/m²

Thermal conductivity:
0,040 W/(m·K)

Thermal resistance:
0,621 m²·K/W

Fire resistance: B,s1, d0
Fireproof
Suitable for use
in public areas

Made in Spain



In ECOcero, we understand the importance of local production and the value this adds to our products and services. Therefore, we offer our clients the option to guarantee that their acoustic panels are 100% Made in Spain. This option not only reflects our commitment to quality and local craftsmanship but also supports the Spanish economy and reduces the carbon footprint associated with transportation. By choosing this option, our clients benefit from the excellence in manufacturing and design that Spain offers, ensuring that each panel not only meets the highest standards of sustainability and functionality but also carries with it the rich heritage and artisanal care of our country.

En ECOcero, entendemos la importancia de la producción local y el valor que esto añade a nuestros productos y servicios. Por ello, ofrecemos a nuestros clientes la opción de garantizar que sus paneles acústicos sean 100% Made in Spain. Esta opción no solo refleja nuestro compromiso con la calidad y la artesanía local, sino que también apoya la economía española y reduce la huella de carbono asociada al transporte. Al elegir esta opción, nuestros clientes se benefician de la excelencia en manufactura y diseño que España ofrece, asegurando que cada panel no solo cumple con los más altos estándares de sostenibilidad y funcionalidad, sino que también lleva consigo la rica herencia y el cuidado artesanal de nuestro país.





Flipando en colores

				
Dark Blue	Dark Green	Blue Green	Turquoise	N
ECO-116	ECO-139	ECO-124	ECO-140	C
NCS: S 6030-R80B	NCS: S 8010-B30G	NCS: S 3050-B20G	NCS: S 4020-B70G	NCS

N: Name
C: Color code
NCS: NCS code

		
Terracota	Coral Pink	N
ECO-108	ECO-131	C
NCS: S 4030-Y90R	NCS: S 1030-Y80R	NCS

				
Turmeric Yellow	Dark Camel	Light Camel	Opera	N
ECO-149	ECO-112	ECO-101	ECO-107	C
NCS: S 2040Y-10R	NCS: S 3010-Y50R	NCS: S 1002-Y50R	NCS: S 1505-Y40R	NCS

						
Black	Anthracite Grey	Moon Grey	Cloudy Grey	Urban Grey	Polar White	N
ECO-127	ECO-125	ECO-123	ECO-138	ECO-136	ECO-104	C
NCS: S 9000-N	NCS: S 6502-B	NCS: S 6005-R80B	NCS: S 3000-N	NCS: S 2005-R80B	NCS: S 0502-B50G	NCS

Beyond the 16 colors of the ECO line, with their soft pastel hues designed to evoke emotions, we offer custom painting in any color from the RAL and NCS palettes. Our special paint ensures perfect absorption and acoustic conditioning.

Más allá de los 16 colores de la gama ECO, con sus suaves tonos pastel diseñados para generar emociones, ofrecemos pintura personalizada en cualquier color de las paletas RAL y NCS. Nuestra pintura especial asegura una perfecta absorción y acondicionamiento acústico.

Efectiviwonder

At the Core of Serenity: At ECOcero, we design acoustic spaces. Our creativity lies in crafting high-end sound-absorbing panels, merging exclusivity with ecological responsibility.

Artificial and Emotional Intelligence: At ECOcero's heart, two innovative forces intertwine: artificial intelligence and emotional intelligence, building a bridge between cutting-edge technology and a deep understanding of human and environmental needs. We are pioneers in designing acoustic panels that harmonize these two forms of intelligence, creating spaces that resonate with tranquility, empathy, and sustainability.

Ecological Elegance: Our commitment to the environment is reflected in each panel we create. We transform 75 bottles per square meter into unique acoustic design pieces, reconciling the fight against plastic pollution with the demand for distinct design, and steadily advancing towards carbon neutrality.

Exclusive and Innovative Design: Design and innovation are the cornerstones of our essence. We collaborate with leading brands and some of the most prestigious designers globally. Furthermore, our partnership with the University of Alicante in research opens up uncharted horizons in the acoustic realm, allowing for unprecedented customization and adaptation.

Awareness and Consciousness: Our perspective transcends pure creativity and touches the core of human needs. From the lands of Kenya to the fields of Ukraine, we join hands with various charitable entities to make a significant global change, providing solutions and assistance to those in greatest risk.

En el Núcleo de la Serenidad: En ECOcero diseñamos espacios acústicos. Nuestra creatividad radica en la creación de paneles fofoabsorbentes de alta gama, fusionando la exclusividad y la responsabilidad ecológica.

Inteligencia Artificial y Emocional: En el corazón de ECOcero se entretajan dos fuerzas innovadoras: la inteligencia artificial y la inteligencia emocional, construyendo un puente entre la tecnología de vanguardia y la comprensión profunda de las necesidades humanas y medioambientales. Somos pioneros en diseñar paneles acústicos que armonizan estos dos tipos de inteligencia, creando espacios que resuenan con calma, empatía y sostenibilidad.

Elegancia Ecológica: Nuestro compromiso con el medio ambiente se refleja en cada panel creado. Transformamos 75 botellas por m² en piezas únicas de diseño acústico, conciliando la lucha contra la contaminación plástica con la demanda de un diseño único y avanzando con paso firme hacia la neutralidad de carbono.

Diseño Exclusivo e Innovador: El diseño y la innovación son los pilares de nuestra esencia. Trabajamos con marcas líderes y algunos de los diseñadores más prestigiosos a nivel internacional. Así mismo, nuestra colaboración con la Universidad de Alicante en investigación abre horizontes inexplorados en el ámbito acústico, permitiendo una adaptación y personalización sin precedentes.

Conciencia y Consciencia: Nuestra mirada va más allá de la creatividad pura y toca el corazón de las necesidades humanas. Desde las tierras de Kenia hasta los campos de Ucrania, unimos fuerzas con diversas entidades benéficas para generar un cambio significativo a nivel global, proporcionando respuestas y asistencia a aquellos en mayor situación de riesgo.

