

Reception desks



Contents:

Alpa – 3

Valde – 9

Foro – 17

Linea – 21

Wave – 27

Organic – 35

Ovo – 39

Tera – 43

Zig-Zag – 49


















Alpa

A form inspired by the majestic mountain range – Alpa reception desk is catching everyone’s eyes.

Being simultaneously classical and luxurious, it gains guests’ attention and makes for an atmosphere of comfort and trust. High gloss front and timeless colours delight with their severity, which is additionally emphasized by an illuminated metal kick plate. A glass

reception is conjoining aesthetics with functionality. A modular construction allows creating various straight and corner sets. By employing a low module segment with an overhang top, the reception can ease communication with disabled customers. Thanks to these features Alpa is fulfilling requirements of different types of spaces: from small receptions to vast lobbies.


| | | | | |
|--|--|--|--|--|
|  |  |  |  |  |
| ALP04L 1835 / 946 / 1100 72 1/4" / 37 1/4" / 43 1/4" | ALP05 1256 / 946 / 1100 49 1/2" / 37 1/4" / 43 1/4" | ALP06 2456 / 946 / 1100 96 3/4" / 37 1/4" / 43 1/4" | ALP07 3656 / 946 / 1100 143 7/8" / 37 1/4" / 43 1/4" | ALP21L 2456 / 1200 / 1100 96 3/4" / 47 1/4" / 43 1/4" ALP21P 2456 / 1200 / 1100 96 3/4" / 47 1/4" / 43 1/4" |
|  |  |  |  |  |
| ALP22L 3034 / 1200 / 1100 119 1/2" / 47 1/4" / 43 1/4" ALP22P 3034 / 1200 / 1100 119 1/2" / 47 1/4" / 43 1/4" | ALP15 3613 / 946 / 1100 142 1/4" / 37 1/4" / 43 1/4" | ALP16 4813 / 946 / 1100 189 1/2" / 37 1/4" / 43 1/4" | ALP25 4813 / 946 / 1100 189 1/2" / 37 1/4" / 43 1/4" | ALP14 2514 / 2514 / 1100 99" / 99" / 43 1/4" |
|  |  |  |  |  |
| ALP24L 3967 / 3135 / 1100 156 1/8" / 123 3/8" / 43 1/4" ALP24P 3967 / 3135 / 1100 156 1/8" / 123 3/8" / 43 1/4" | ALP23L 3135 / 2767 / 1100 123 3/8" / 108 7/8" / 43 1/4" ALP23P 3135 / 2767 / 1100 123 3/8" / 108 7/8" / 43 1/4" | ALP17L 3135 / 2514 / 1100 123 3/8" / 99" / 43 1/4" ALP17P 3135 / 2514 / 1100 123 3/8" / 99" / 43 1/4" | ALP26L 4335 / 2514 / 1100 170 5/8" / 99" / 43 1/4" ALP26P 4335 / 2514 / 1100 170 5/8" / 99" / 43 1/4" | ALP27L 3815 / 3135 / 1100 150 1/4" / 123 3/8" / 43 1/4" ALP27P 3815 / 3135 / 1100 150 1/4" / 123 3/8" / 43 1/4" |





mdd.eu

Alpa



ALP24L
3967 / 3135 / 2768 / 950 / 1100
156 1/8" / 123 3/8" / 109 / 37 3/8" / 43 2/8"

Valde

Modern character and dynamic form – Valde reception desk was designed to meet the requirements of a contemporary reception.

Visually attractive combination of glass, aluminium and high gloss laminates creates an elegant, but not overwhelming whole. Modular construction allows to

freely customize and extend the layouts. Corner desk, semi-circular, straight or an irregular shape – with Valde every configuration is possible. The overhang worktop of the low module is an indisputable advantage that is a convenience for disabled customers. Furthermore, the chosen colour can function as a complementary element of the visual identification of the company.



LAV96L 920 / 454 / 1105
36 1/4" / 17 7/8" / 43 1/2"



LAV95L 920 / 917 / 1105
36 1/4" / 36 1/8" / 43 1/2"
LAV76L 1666 / 917 / 1105
65 5/8" / 36 1/8" / 43 1/2"
LAV75L 1366 / 917 / 1105
36 1/4" / 36 1/8" / 43 1/2"
LAV77L 12366 / 917 / 1105
93 1/4" / 36 1/8" / 43 1/2"



LAV01L 1926 / 937 / 1105
75 7/8" / 36 7/8" / 43 1/2"
LAV02L 2226 / 937 / 1105
87 3/4" / 36 7/8" / 43 1/2"
LAV03L 2926 / 937 / 1105
115 1/4" / 36 1/8" / 43 1/2"




LAV84L 2443 / 1489 / 1105
96 1/4" / 58 5/8" / 43 1/2"
LAV85L 2443 / 1489 / 1105
96 1/4" / 58 5/8" / 43 1/2"




LAV86L 2638 / 1835 / 1105
104" / 72 3/8" / 43 1/2"
LAV87L 2638 / 1835 / 1105
104" / 72 3/8" / 43 1/2"




LAV30L 2922 / 1486 / 1105
115 1/8" / 58 1/2" / 43 1/2"
LAV31L 2922 / 1486 / 1105
115 1/8" / 58 1/2" / 43 1/2"



LAV32L 3452 / 1502 / 1105
136" / 59 1/4" / 43 1/2"
LAV33L 3452 / 1502 / 1105
136" / 59 1/4" / 43 1/2"



LAV34L 4195 / 1835 / 1105
165 3/8" / 72 3/8" / 43 1/2"
LAV35L 4195 / 1835 / 1105
165 3/8" / 72 3/8" / 43 1/2"



LAV36L 6352 / 1503 / 1105
250 3/8" / 59 1/4" / 43 1/2"
LAV37L 6352 / 1503 / 1105
250 3/8" / 59 1/4" / 43 1/2"




LAV38L 4386 / 1639 / 1105
172 7/8" / 64 5/8" / 43 1/2"
LAV39L 4386 / 1639 / 1105
172 7/8" / 64 5/8" / 43 1/2"




LAV50L 4566 / 1307 / 1105
180" / 51 1/2" / 43 1/2"



LAV51L 3202 / 3006 / 1105
126 1/8" / 118 1/2" / 43 1/2"



LAV52L 3202 / 1639 / 1105
126 1/8" / 64 5/8" / 43 1/2"



LAV61L 3202 / 1919 / 1105
126 1/8" / 75 5/8" / 43 1/2"



LAV53L 2317 / 1145 / 1105
91 1/4" / 45 1/8" / 43 1/2"



LAV73L 2713 / 1353 / 1105
106 7/8" / 53 3/8" / 43 1/2"



LAV54L 1666 / 1029 / 1105
65 5/8" / 40 1/2" / 43 1/2"



LAV74L 2151 / 1183 / 1105
84 3/4" / 46 5/8" / 43 1/2"



LAV05L 3589 / 1629 / 1105
141 1/2" / 64 1/4" / 43 1/2"




LAV06L 4199 / 1629 / 1105
165 1/2" / 64 1/4" / 43 1/2"
LAV07L 4199 / 1629 / 1105
165 1/2" / 64 1/4" / 43 1/2"



LAV08L 3367 / 1629 / 1105
132 3/4" / 64 1/4" / 43 1/2"
LAV09L 3367 / 1629 / 1105
132 3/4" / 64 1/4" / 43 1/2"



LAV19L 2366 / 1114 / 1105
93 1/4" / 43 7/8" / 43 1/2"
LAV20L 2366 / 1114 / 1105
93 1/4" / 43 7/8" / 43 1/2"
LAV21L 2666 / 1114 / 1105
105 1/8" / 43 7/8" / 43 1/2"
LAV22L 2666 / 1114 / 1105
105 1/8" / 43 7/8" / 43 1/2"
LAV23L 3366 / 1114 / 1105
132 5/8" / 43 7/8" / 43 1/2"
LAV24L 3366 / 1114 / 1105
132 5/8" / 43 7/8" / 43 1/2"



LAV41L 2646 / 1134 / 1105
104 1/4" / 44 7/8" / 43 1/2"
LAV42L 2646 / 1134 / 1105
104 1/4" / 44 7/8" / 43 1/2"
LAV43L 2946 / 1134 / 1105
116 1/8" / 44 7/8" / 43 1/2"
LAV44L 2946 / 1134 / 1105
116 1/8" / 44 7/8" / 43 1/2"
LAV45L 3646 / 1134 / 1105
143 5/8" / 44 7/8" / 43 1/2"
LAV46L 3646 / 1134 / 1105
143 5/8" / 44 7/8" / 43 1/2"




LAV88L 2845 / 1111 / 1105
112 1/8" / 43 3/4" / 43 1/2"
LAV89L 2845 / 1111 / 1105
112 1/8" / 43 3/4" / 43 1/2"
LAV91L 3145 / 1111 / 1105
124" / 43 3/4" / 43 1/2"
LAV92L 3145 / 1111 / 1105
124" / 43 3/4" / 43 1/2"
LAV23L 3845 / 1111 / 1105
151 1/2" / 43 3/4" / 43 1/2"
LAV24L 3845 / 1111 / 1105
151 1/2" / 43 3/4" / 43 1/2"



LAV78L 2733 / 1292 / 1105
107 3/4" / 50 7/8" / 43 1/2"
LAV79L 2733 / 1292 / 1105
107 3/4" / 50 7/8" / 43 1/2"
LAV80L 3033 / 1292 / 1105
119 1/2" / 50 7/8" / 43 1/2"
LAV81L 3033 / 1292 / 1105
119 1/2" / 50 7/8" / 43 1/2"
LAV82L 3733 / 1292 / 1105
147 1/8" / 50 7/8" / 43 1/2"
LAV83L 3733 / 1292 / 1105
147 1/8" / 50 7/8" / 43 1/2"






LAVO4L
3202 / 3006 / 1105
126 1/8" / 118 3/8" / 43 4/8"



Valde



Valde



LAV08L
3367 / 1629 / 1105
132 4/8" / 64 1/8" / 43 4/8"




Foro


An optimal combination of the most important assets of a complex layout and a small piece of furniture – Foro reception desk is a fully functional solution.

A form inspired by cubism that consists of interlocking rectangles is fulfilling both aesthetic and practical roles. A diverse size of elements allows serving guests while standing or sitting. Moreover, such solution is also

a convenience for disabled customers. The higher front can also work as a handy storage for documents. Foro is a unique desk that comes in various options. Enthusiasts of traditional design can go for a natural colour schemes, whereas white gives the reception a modern character. A glossy front contrasts with the matt finish while the universal design makes Foro a perfect solution for many interiors: from a beauty studio to a law firm.



LF10 2100 / 800 / 1100
82 3/4" / 31 1/2" / 43 3/8"



LF11 2100 / 800 / 1100
82 3/4" / 31 1/2" / 43 3/8"






Linea


Minimalism supported by a flash of glass – Linea reception desk proves that less means more.

A simple shape is ornamented by the aluminium finishes whereas the backlight of the lower part emphasizes the glass front. Linea has a modern character, but its universal design makes the reception an interesting accent even in more classic interiors. Thanks to the modular construction, it is easy to create a customized


straight or corner layout depending on the space and needs. The low module, designed mainly for disabled customers, works particularly well in the places where the contact with the client tends to be long. Moreover, the extended worktop is increasing functionality. On the other hand, the high module allows working in a standing position. A spacious louver closet or small lockers on the worktop can help to organize the documents.




LIN08 856 / 824 / 1105
33 3/4" / 32 1/2" / 43 1/2"
LIN13 1256 / 824 / 1105
49 1/2" / 32 1/2" / 43 1/2"




LIN15 1656 / 824 / 1105
65 1/4" / 32 1/2" / 43 1/2"




LIN25 2456 / 824 / 1105
96 3/4" / 32 1/2" / 43 1/2"




LIN20 2056 / 824 / 1105
81" / 32 1/2" / 43 1/2"
LIN20T 2056 / 824 / 1105
81" / 32 1/2" / 43 1/2"




LIN29L 1850 / 1150 / 1105
72 7/8" / 45 3/8" / 43 1/2"
LIN29P 1850 / 1150 / 1105
72 7/8" / 45 3/8" / 43 1/2"




LIN33L 1856 / 1122 / 1105
73 1/8" / 44 1/4" / 43 1/2"
LIN33P 1856 / 1122 / 1105
73 1/8" / 44 1/4" / 43 1/2"
LIN34L 2256 / 1122 / 1105
88 7/8" / 44 1/4" / 43 1/2"
LIN34P 2256 / 1122 / 1105
88 7/8" / 44 1/4" / 43 1/2"




LIN35L 2650 / 1150 / 1105
104 3/8" / 45 3/8" / 43 1/2"
LIN35P 2650 / 1150 / 1105
104 3/8" / 45 3/8" / 43 1/2"




LIN36 1644 / 850 / 1105
64 3/4" / 33 1/2" / 43 1/2"




LIN37L 1650 / 850 / 1105
65" / 33 1/2" / 43 1/2"
LIN37P 1650 / 850 / 1105
65" / 33 1/2" / 43 1/2"




LIN38L 2050 / 850 / 1105
80 3/4" / 33 1/2" / 43 1/2"
LIN38P 2050 / 850 / 1105
80 3/4" / 33 1/2" / 43 1/2"




LIN42 2444 / 850 / 1105
96 3/8" / 33 1/2" / 43 1/2"




LIN43 2844 / 850 / 1105
112 1/8" / 33 1/2" / 43 1/2"





LIN39L 2444 / 1650 / 1105
6 3/8" / 65" / 43 1/2"
LIN39P 2444 / 1650 / 1105
96 3/8" / 65" / 43 1/2"



LIN40L 2444 / 2050 / 1105
96 3/8" / 80 3/4" / 43 1/2"
LIN40P 2444 / 2050 / 1105
96 3/8" / 80 3/4" / 43 1/2"




LIN41L 2744 / 1850 / 1105
96 3/8" / 80 3/4" / 43 1/2"
LGC41P 2744 / 1850 / 1105
108 1/8" / 72 7/8" / 43 1/2"



LIN35L
2650 / 1150 / 1622 / 850 / 1105
104 3/8" / 45 2/8" / 63 7/8" / 33 4/8" /
43 4/8"



Linea

















































Wave

Wavy line reflecting strength and tranquillity of the dormant ocean – Wave reception desk stands out with its design.

Simultaneously luxurious and professional character of this piece of furniture is emphasized by a white gloss of the worktop, glossy front and decorative aluminium bar.

Modular construction allows creating customized configurations. Snail shaped reception helps to save space and at the same time provides functionality. An extended version of the desk can consist of several workstations whereas employing a low module with overhang top is a convenience for disabled customers. The characteristic form don't overwhelm the interior, but it attracts attention.




| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| LUV11 806 / 770 / 1103 31 3/4" / 30 3/8" / 43 1/2" | LUV13 1556 / 770 / 1103 61 3/8" / 30 3/8" / 43 1/2" | LUV15 2306 / 770 / 1103 90 7/8" / 30 3/8" / 43 1/2" | LUV17 2746 / 770 / 1103 108 1/4" / 30 3/8" / 43 1/2" | LUV19 3496 / 770 / 1103 137 3/4" / 30 3/8" / 43 1/2" |
|  |  |  |  |  |
| LUV12 1026 / 770 / 1103 40 3/8" / 30 3/8" / 43 1/2" | LUV14 1996 / 770 / 1103 78 5/8" / 30 3/8" / 43 1/2" | LUV16 2966 / 770 / 1103 116 7/8" / 30 3/8" / 43 1/2" | LUV18 2526 / 770 / 1103 99 1/2" / 30 3/8" / 43 1/2" | LUV20 3936 / 770 / 1103 155 1/8" / 30 3/8" / 43 1/2" |
|  |  |  |  |  |
| LUV21 3496 / 770 / 1103 137 3/4" / 30 3/8" / 43 1/2" | LUV27L 1776 / 1019 / 1103 70" / 40 1/8" / 43 1/2" | LUV29L 2526 / 1019 / 1103 99 1/2" / 40 1/8" / 43 1/2" | LUV31 3276 / 1019 / 1103 129 1/8" / 40 1/8" / 43 1/2" | LUV33 2526 / 1019 / 1103 99 1/2" / 40 1/8" / 43 1/2" |
|  |  |  |  |  |
| LUV22 1624 / 841 / 1103 64" / 33 1/8" / 43 1/2" | LUV27P 1776 / 1019 / 1103 70" / 40 1/8" / 43 1/2" | LUV29P 2526 / 1019 / 1103 99 1/2" / 40 1/8" / 43 1/2" | LUV32 3936 / 1019 / 1103 155 1/8" / 40 1/8" / 43 1/2" | LUV34 2966 / 1019 / 1103 116 7/8" / 40 1/8" / 43 1/2" |
|  |  |  |  |  |
| LUV23 3124 / 841 / 1103 123 1/8" / 33 1/8" / 43 1/2" | LUV25 3874 / 841 / 1103 152 5/8" / 33 1/8" / 43 1/2" | LUV35 1590 / 1590 / 1103 62 5/8" / 62 5/8" / 43 1/2" | LUV37 1810 / 1590 / 1103 71 3/8" / 62 5/8" / 43 1/2" | LUV41 2340 / 1590 / 1103 92 1/4" / 62 5/8" / 43 1/2" |
|  |  |  |  |  |
| LUV24 3564 / 841 / 1103 140 1/2" / 33 1/8" / 43 1/2" | LUV26 4534 / 841 / 1103 178 5/8" / 33 1/8" / 43 1/2" | LUV36 1810 / 1810 / 1103 71 3/8" / 71 3/8" / 43 1/2" | LUV42 2780 / 1810 / 1103 109 1/2" / 71 3/8" / 43 1/2" | LUV44 2560 / 2012 / 1103 100 7/8" / 79 1/4" / 43 1/2" |
|  |  |  |  |  |
| LUV43 2780 / 1792 / 1103 109 1/2" / 70 5/8" / 43 1/2" | LUV40L 2780 / 1792 / 1103 109 1/2" / 70 5/8" / 43 1/2" | LUV38L 2560 / 1590 / 1103 100 3/4" / 62 5/8" / 43 1/2" | LUV22 1624 / 841 / 1103 64" / 33 1/8" / 43 1/2" | LUV45L 3310 / 1792 / 1103 150 1/2" / 70 5/8" / 43 1/2" |
|  |  |  |  |  |
| LUV44 2560 / 2012 / 1103 100 7/8" / 79 1/4" / 43 1/2" | LUV40P 2780 / 1792 / 1103 109 1/2" / 70 5/8" / 43 1/2" | LUV38P 2560 / 1590 / 1103 100 3/4" / 62 5/8" / 43 1/2" | LUV39L 2780 / 1054 / 1103 109 1/2" / 41 1/2" / 43 1/2" | LUV45P 3310 / 1792 / 1103 150 1/2" / 70 5/8" / 43 1/2" |
|  |  |  |  |  |
| LUV46L 3750 / 1810 / 1103 147 3/4" / 71 3/8" / 43 1/2" | LUV48P 3750 / 1792 / 1103 147 3/4" / 70 5/8" / 43 1/2" | LUV39P 2780 / 1054 / 1103 109 1/2" / 41 1/2" / 43 1/2" | LUV46P 3750 / 1810 / 1103 147 3/4" / 71 3/8" / 43 1/2" | LUV47P 3310 / 1810 / 1103 130 1/2" / 71 3/8" / 43 1/2" |
|  |  |  | | |
| LUV47L 3310 / 1810 / 1103 130 1/2" / 71 3/8" / 43 1/2" | LUV49L 858 / 925 / 1103 33 7/8" / 36 1/2" / 43 1/2" | LUV49P 858 / 925 / 1103 33 7/8" / 36 1/2" / 43 1/2" | | |






Wave



LUV17
2746 / 770 / 1103
108 1/8" / 30 3/8" / 43 3/8"



Wave



LUV22
1624 / 841 / 1103
63 7/8" / 33 1/8" / 43 3/8"



Organic


Simple structure and organic shapes – Organic reception desk is modelled after patterns found in nature, catching eyes with its characteristic backlit element.

institutions or natural approach in SPA centres and beauty salons. RGB lighting harmonizes with the interior and allows adjusting colours to the brand's image whereas the glass top and aluminium kick plate indicate nobility and elegance.


Modern white implies a sense of trust and order. The reception can highlight the sterility in medical




LOG10G 1000 / 660 / 1105
39 3/8" / 26" / 43 1/2"
LOG14G 1400 / 660 / 1105
55 1/8" / 26" / 43 1/2"




LOG11LG 1300 / 770 / 1105
51 1/4" / 30 3/8" / 43 1/2"
LOG11PG 1300 / 770 / 1105
51 1/4" / 30 3/8" / 43 1/2"




LOG12LG 1700 / 770 / 1105
67" / 30 3/8" / 43 1/2"
LOG12PG 1700 / 770 / 1105
67" / 30 3/8" / 43 1/2"




LOG13G 2000 / 770 / 1105
78 7/8" / 30 3/8" / 43 1/2"




LOG14PLG 2400 / 770 / 1105
94 5/8" / 30 3/8" / 43 1/2"
LOG14PPG 2400 / 770 / 1105
94 5/8" / 30 3/8" / 43 1/2"




LOG15 1400 / 1660 / 1105
55 1/8" / 65 3/8" / 43 1/2"




LOG16LG 1700 / 1660 / 1105
67" / 65 3/8" / 43 1/2"
LOG16PG 1700 / 1660 / 1105
67" / 65 3/8" / 43 1/2"




LOG17 1400 / 1260 / 1105
55 1/8" / 49 5/8" / 43 1/2"




LOG18LG 1700 / 1370 / 1105
67" / 54" / 43 1/2"
LOG18PG 1700 / 1370 / 1105
67" / 54" / 43 1/2"




LOG19LG 2700 / 770 / 1105
106 3/8" / 30 3/8" / 43 1/2"
LOG19PG 2700 / 770 / 1105
106 3/8" / 30 3/8" / 43 1/2"




LOG20LG 3100 / 770 / 1105
122 1/8" / 30 3/8" / 43 1/2"
LOG20PG 3100 / 770 / 1105
122 1/8" / 30 3/8" / 43 1/2"




LOG21LG 2700 / 1370 / 1105
106 3/8" / 54" / 43 1/2"
LOG21PG 2700 / 1370 / 1105
106 3/8" / 54" / 43 1/2"



LOG22LG 3100 / 1370 / 1105
122 1/8" / 54" / 43 1/2"
LOG22PG 3100 / 1370 / 1105
122 1/8" / 54" / 43 1/2"



LOG23G 3400 / 1370 / 1105
134" / 54" / 43 1/2"






Ovo


Small, but providing maximum practicality – Ovo reception desk is optimally combining features of a customer service stand and an individual workstation.

The oval top is at the same time fulfilling a role of a worktop and a lower element of the reception what

makes for a multifunctional desk that meets the needs of disabled customers. The higher part allows working in a standing position, simultaneously hiding the computer station and the document shelf. Ovo is a space-saving solution that will fit perfectly for beauty studios, hair salons and many other interiors.



LOP10 1550 / 870 / 1150
61 1/8" / 34 1/4" / 45 3/8"



LOL10 1550 / 870 / 1150
61 1/8" / 34 1/4" / 45 3/8"



Tera

Classic and timeless – Tera reception desk meets the expectations of those who favour simplicity and universal forms.

The combination of glossy HPL elements, with white or wood-like melamine plate that breaks the conservative patterns, is subtly indicating elegance


and prestige. Modular desk provides possibilities of creating various layouts: from small to complex workstations depending on the needs. By employing the low module with overhang worktop, the desk eases the communication with disabled customers. Tera is a perfect fit for a reception of law firms or hotel lobbies where it delicately highlights the high quality of service.




TRA13 856 / 820 / 1090
33 3/4" / 32 1/4" / 42 7/8"




TRA14 1056 / 877 / 1159
41 5/8" / 34 1/2" / 45 5/8"
TRA15 1256 / 877 / 1159
49 1/2" / 34 1/2" / 45 5/8"
TRA16 1456 / 877 / 1159
57 3/8" / 34 1/2" / 45 5/8"




TRA17 1656 / 877 / 1159
65 1/4" / 34 1/2" / 45 5/8"
TRA18 2056 / 877 / 1159
81" / 34 1/2" / 45 5/8"
TRA19 2456 / 877 / 1159
96 3/4" / 34 1/2" / 45 5/8"
TRA20 2856 / 877 / 1159
112 1/2" / 34 1/2" / 45 5/8"




TRA117 1656 / 820 / 1159
65 1/4" / 32 1/4" / 45 5/8"
TRA118 2056 / 820 / 1159
81" / 32 1/4" / 45 5/8"
TRA119 2456 / 820 / 1159
96 3/4" / 32 1/4" / 45 5/8"
TRA120 2856 / 820 / 1159
112 1/2" / 32 1/4" / 45 5/8"




TRA42 1640 / 905 / 1159
64 5/8" / 35 5/8" / 45 5/8"




TRA21 2440 / 905 / 1159
96 1/8" / 35 5/8" / 45 5/8"
TRA22 2640 / 905 / 1159
103 7/8" / 35 5/8" / 45 5/8"
TRA23 2840 / 905 / 1159
111 3/4" / 35 5/8" / 45 5/8"
TRA24 3240 / 905 / 1159
119 5/8" / 35 5/8" / 45 5/8"




TRA121 2440 / 848 / 1159
96 1/8" / 33 3/8" / 45 5/8"
TRA122 2640 / 848 / 1159
103 7/8" / 33 3/8" / 45 5/8"
TRA123 2840 / 848 / 1159
111 3/4" / 33 3/8" / 45 5/8"
TRA124 3240 / 848 / 1159
119 5/8" / 33 3/8" / 45 5/8"




TRA25 1648 / 1705 / 1159
64 7/8" / 67 1/8" / 45 5/8"
TRA26 1848 / 1705 / 1159
72 3/4" / 67 1/8" / 45 5/8"
TRA27 2048 / 1705 / 1159
80 5/8" / 67 1/8" / 45 5/8"
TRA28 2248 / 1705 / 1159
88 1/2" / 67 1/8" / 45 5/8"




TRA29 3240 / 1705 / 1159
127 1/2" / 67 1/8" / 45 5/8"
TRA30 3640 / 1705 / 1159
143 1/4" / 67 1/8" / 45 5/8"
TRA31 4040 / 1705 / 1159
159" / 67 1/8" / 45 5/8"
TRA32 4440 / 1705 / 1159
174 3/4" / 67 1/8" / 45 5/8"




TRA129 3354 / 1705 / 1159
132" / 67 1/8" / 45 5/8"
TRA130 3754 / 1705 / 1159
147 3/4" / 67 1/8" / 45 5/8"
TRA131 4154 / 1705 / 1159
163 1/2" / 67 1/8" / 45 5/8"
TRA132 4554 / 1705 / 1159
179 1/4" / 67 1/8" / 45 5/8"




TRA33 3056 / 1120 / 1159
120 3/8" / 44 1/8" / 45 5/8"
TRA34 3456 / 1120 / 1159
136 1/8" / 44 1/8" / 45 5/8"
TRA35 3856 / 1120 / 1159
151 3/4" / 44 1/8" / 45 5/8"




TRA133 3056 / 1120 / 1159
120 3/8" / 44 1/8" / 45 5/8"
TRA134 3456 / 1120 / 1159
136 1/8" / 44 1/8" / 45 5/8"
TRA135 3856 / 1120 / 1159
151 3/4" / 44 1/8" / 45 5/8"




TRA36L 2056 / 1120 / 1159
81" / 44 1/8" / 45 5/8"
TRA36P 2056 / 1120 / 1159
81" / 44 1/8" / 45 5/8"
TRA37L 2256 / 1120 / 1159
88 7/8" / 44 1/8" / 45 5/8"
TRA37P 2256 / 1120 / 1159
88 7/8" / 44 1/8" / 45 5/8"
TRA38L 2456 / 1120 / 1159
96 3/4" / 44 1/8" / 45 5/8"
TRA38P 2456 / 1120 / 1159
96 3/4" / 44 1/8" / 45 5/8"



TRA136L 2056 / 1120 / 1159
81" / 44 1/8" / 45 5/8"
TRA136P 2056 / 1120 / 1159
81" / 44 1/8" / 45 5/8"
TRA137L 2256 / 1120 / 1159
88 7/8" / 44 1/8" / 45 5/8"
TRA137P 2256 / 1120 / 1159
88 7/8" / 44 1/8" / 45 5/8"
TRA138L 2456 / 1120 / 1159
96 3/4" / 44 1/8" / 45 5/8"
TRA138P 2456 / 1120 / 1159
96 3/4" / 44 1/8" / 45 5/8"




TRA39L 3056 / 1120 / 1159
120 3/8" / 44 1/8" / 45 5/8"
TRA39P 3056 / 1120 / 1159
120 3/8" / 44 1/8" / 45 5/8"
TRA40L 3456 / 1120 / 1159
136 1/8" / 44 1/8" / 45 5/8"
TRA40P 3456 / 1120 / 1159
136 1/8" / 44 1/8" / 45 5/8"
TRA41L 3856 / 1120 / 1159
151 3/4" / 44 1/8" / 45 5/8"
TRA41P 3856 / 1120 / 1159
151 3/4" / 44 1/8" / 45 5/8"



TRA21
2440 / 905 / 1159
96 1/8" / 35 5/8" / 45 5/8"



Tera




Zig-Zag


Modern minimalism combined with technology – Zig-Zag reception desk with its original design proves that the effect matters.

Being LED backlit, the reception conjoins metal and glass what exposes the prestige and technological orientation of the company. Characteristic pattern on the front automatically becomes a decoration of every interior.


Thanks to the modular construction and the ability of adjusting the intensity and colour of the backlight, the desk provides its users with almost unlimited arrangement possibilities. Large receptions are capable of equipping even spacious lobbies. What is more, the desk is adjusted to meet the needs of disabled customers. Modern character is believed to be a foundation of a unique and innovative design of every reception.




LZG44 2480 / 2200 / 1146
97 3/4" / 86 3/4" / 45 1/8"




LZG45 2480 / 2200 / 1146
97 3/4" / 86 3/4" / 45 1/8"




LZG34 1600 / 880 / 1146
63" / 34 5/8" / 45 1/8"
LZG46 2200 / 880 / 1146
86 3/4" / 34 5/8" / 45 1/8"




LZG32 1600 / 1880 / 1146
63" / 74 1/8" / 45 1/8"




LZG35 1600 / 1880 / 1146
63" / 74 1/8" / 45 1/8"




LZG36 2200 / 1880 / 1146
86 3/4" / 74 1/8" / 45 1/8"




LZG38 2480 / 1600 / 1146
97 3/4" / 63" / 45 1/8"




LZG40 2480 / 1600 / 1146
97 3/4" / 63" / 45 1/8"




LZG42 2480 / 1600 / 1146
97 3/4" / 63" / 45 1/8"




LZG58 3200 / 2880 / 1146
126 1/8" / 113 1/2" / 45 1/8"




LZG52 4200 / 1180 / 1146
165 1/2" / 46 1/2" / 45 1/8"
LZG53 4800 / 1180 / 1146
189 1/8" / 46 1/2" / 45 1/8"
LZG54 5400 / 1180 / 1146
212 3/4" / 46 1/2" / 45 1/8"




LZG55 4200 / 1180 / 1146
165 1/2" / 46 1/2" / 45 1/8"




LZG60 3200 / 880 / 114
126 1/8" / 34 5/8" / 45 1/8"
LZG61 3800 / 880 / 1146
149 3/4" / 34 5/8" / 45 1/8"
LZG62 4400 / 880 / 1146
175 3/8" / 34 5/8" / 45 1/8"




LZG64 2600 / 2780 / 1146
102 1/2" / 109 1/2" / 45 1/8"




LZG63 2600 / 2780 / 1146
102 1/2" / 109 1/2" / 45 1/8"



LZG50 2600 / 1180 / 1146
102 1/2" / 46 1/2" / 45 1/8"
LZG51 3200 / 1180 / 1146
126 1/8" / 46 1/2" / 45 1/8"





LZG56 2600 / 1180 / 1146
102 1/2" / 46 1/2" / 45 1/8"



LZG57 3200 / 2880 / 1146
126 1/8" / 113 1/2" / 45 1/8"



Zig-Zag



LZG55

4200 / 1180 / 1146

165 1/2" / 46 1/2" / 45 1/8"

Images in the catalogue may show products slightly differently from the original version. Colours of shown materials may differ from the real ones. The producer reserves a right to introduce change of colours and patterns of the presented products. The manufacturer reserves the right to introduce alterations to the products and their marking without changing the general design. The present catalogue does not constitute a legally binding offer and is published solely for information purposes. Order may be placed only on the basis of the current price lists, available at authorised distributors.



Mintiga Systema

+420 724 124 042

obchod@mintiga.cz